

**BULLETIN OF  
OSAKA PREFECTURAL INSTITUTE OF PUBLIC HEALTH**

**CONTENTS**

— **RESEARCH REPORTS** —

A Case of Chikungunya Fever Imported from India to Japan, Follow-Up of Specific IgM and IgG Antibodies over a 6-Month Period I. AOYAMA, K. UNO, T. YUMISASHI, T. TAKASAKI, C.K.LIM, I. KURANE, T.KASE and K.TAKAHASHI .....	1
Pesticide Residues in Imported Agricultural Products - from 2007 to 2009 - Y. KITAGAWA, S. TAKATORI, N. FUKUI, Y. KAKIMOTO, S. KAKIMOTO, A. YAMAMOTO, H. MURATA, T. SUMIMOTO and H. OBANA .....	8
Pesticide Residues in Domestic Agricultural Products - from 2007 to 2009 - N. FUKUI, S. TAKATORI, Y. KITAGAWA, Y. KAKIMOTO, S. KAKIMOTO, A. YAMAMOTO, N. NAKATHUJI, H. MURATA, T. SUMIMOTO and H. OBANA .....	14
Treated Effluent Quality of Small-Scale Johkasou at the Time of Cleansing S. OKUMURA, R. YURI and T. INOUE .....	22
Measurement of Ultraviolet Exposure with Coliphages as Indicator Microorganisms H. NAKANO and S. ADACHI .....	27
Survey of Environmental and Food Radioactivity in Osaka Prefecture (Fiscal 2009 Report) T. HIZUKA, M. MIMURA and S. ADACHI .....	33
Results of External Quality Control on the Analytical Measures for Tap Water in Osaka Prefecture - Formaldehyde (2008) - Y. KOIZUMI, K. MIYANO and S. ADACHI .....	40
Result of External Quality Control on the Analytical Measures for Tap Water in Osaka Prefecture - Sodium (2007) - H. TANAKA, F. ADACHI and I. WATANABE .....	50
Automated Determination of Chlorine Dioxide in Water H. TANAKA, F. ADACHI, S. TAKAGI and A. EDAGAWA .....	58
Analytical Study Using HPLC on the Colorants Regulated by the European Standard EN71 for the Infant Textile Products (Toys and Clothes) H. NAKASHIMA, K. YAMAZAKI, T. FUKAYA and M. KANIWA .....	65
— <b>ABSTRACTS</b> —	
Plasmid-Mediated Quinolone Resistance in <i>Salmonella</i> Isolated from Patients with Overseas Traveler's Diarrhea in Japan M. TAGUCHI, R. KAWAHARA, K. SETO, K. INOUE, A. HAYASHI, N. YAMAGATA, K. KAMAKURA and E. KASHIWAGI .....	70
Studies on Advanced Methods for Detecting <i>Salmonella</i> in Food and Its Evaluation by Testing Ground Chicken Meat and Unpasteurized Liquid Whole Egg (in Japanese) M. MIYAHARA, M. TAGUCHI, Y. KUMEDA, M. KANKI, A. GUNJI, Y. MORITA, J. OHTA, M. TAKAYAMA, K. TAKASU, Y. KIMATA and T. TSUKAMOTO .....	70

<i>Salmonella</i> (in Japanese) M. TAGUCHI and H. IZUMIYA .....	71
<i>Salmonella</i> Enteritidis Food Poisoning in Osaka Prefecture, 2006-2008 (in Japanese) M. TAGUCHI, M. KANKI, T. YODA, T. KAWAI, K. KAWATSU, W. YAMAZAKI, J. SAKATA, T. HARADA, K. SETO and Y. KUMEDA .....	71
<i>Campylobacter</i> Food Poisoning in Osaka Prefecture, 2006-2009 (in Japanese) M. TAGUCHI, K. KAWATSU, W. YAMAZAKI, T. YODA, T. KAWAI, M. KANKI, J. SAKATA, T. HARADA, S. YONOGI, K. IZAWA, K. SETO, Y. KUMEDA, K. FUKUNAGA, A. ISHII and T. YAMAGUCHI .....	72
Application of a Modified Loop-Mediated Isothermal Amplification Kit for Detecting Norovirus Genogroups I and II T. YODA, Y. SUZUKI, K. YAMAZAKI, N. SAKON, M. KANKI, T. KASE, K. TAKAHASHI and K. INOUE .....	72
Simultaneous Enrichment of Shiga Toxin-Producing <i>Escherichia coli</i> O157 and O26 and <i>Salmonella</i> in Food Samples Using Universal Preenrichment Broth M. KANKI, K. SETO, J. SAKATA, T. HARADA and Y. KUMEDA .....	73
Shiga Toxin-Producing <i>Escherichia coli</i> (in Japanese) K. SETO .....	73
<i>Mycobacterium avium</i> Complex Organism Predominantly Colonize in the Bathtub Inlets of Patients' Bathroom Y. NISHIUCHI, A. TAMARU, S. KITADA, T. TAGURI, S. MATSUMOTO, Y. TATEISHI, M. YOSHIMURA, Y. OZAKI, N. MATSUMURA, H. OGURA and R. MAEKURA .....	74
<i>Bacillus cereus</i> (in Japanese) T. KAWAI and T. ASAO .....	74
Diagnostic Test of Viral Infection (in Japanese) T. KASE .....	75
Comparison of Detection Sensitivity in Rapid-Diagnosis InfluenzaVirus Kits (in Japanese) O. TOKUNO, M. FUJIWARA, Y. NAKAJOH, S. YAMANOUCHI, M. ADACHI, A. IKEDA, S. KITAYAMA, T. TAKAHASHI, T. KASE, S. KINOSHITA and S. KUMAGAI .....	75
Outbreak of Pandemic Influenza H1N1 and Viral Detection in Osaka, 2009 (in Japanese) T. KASE .....	76
Detection of Oseltamivir-Resistant Influenza AH1N1pdm Virus in Osaka, 2009 (in Japanese) T. KASE .....	76
Development of an Immunochromatographic Assay Specifically Detecting Pandemic H1N1 (2009) InfluenzaVirus (in Japanese) T. MIYOSHI-AKIYAMA, K. NARAHARA, S. MORI, H. KITAJIMA, T. KASE, S. MORIKAWA and T. KIRIKAE .....	77
Assessment of Viral Gastroenteritis Diagnosis Using an Immunochromatography-Based Method (in Japanese) K. YAMAZAKI, K. NAKATA and T. YODA .....	77
Rotavirus (in Japanese) N. SAKON-TANAKA .....	78

Cases of HIV Type 1 Acute Infection at STI-Related Clinics in Osaka Y. KOJIMA, T. KAWAHATA and H.MORI .....	78
Mumps Virus, RubellaVirus and Measles Virus (in Japanese) T. KASE .....	79
SARS Coronavirus (in Japanese) T. KASE .....	79
A Case of Chikungunya Fever Imported from India to Japan, Follow-Up of Specific IgM and IgG Antibodies over a 6-Month Period I. AOYAMA, K. UNO, T. YUMISASHI, T. TAKASAKI, C. K.LIM, I. KURANE, T. KASE and K. TAKAHASHI .....	80
Bactericidal Effect of HM-242, a Novel Disinfectant, against <i>Pseudomonas aeruginosa</i> J. OKUNISHI, H. NISHIMURA, A. TAKADA, T. INADA, S. MAEDA, T. MAEDA, T. NISHIHARA, S. KOMEMUSHI and Y. SAKAGAMI .....	80
Multiresidue Method for Determination of Pesticide Residues in Processed Foods by GC/MS (in Japanese) Y. KITAGAWA, M. OKIHASHI, S. TAKATORI, Y. OKAMOTO, N. FUKUI, H. MURATA, T. SUMIMOTO and H. OBANA .....	81
Multiresidue Method for Determination of Pesticide Residues in Processed Foods by GC/MS/MS (in Japanese) Y. KITAGAWA, M. OKIHASHI, S. TAKATORI, Y. OKAMOTO, N. FUKUI, H. MURATA, T. SUMIMOTO and H. OBANA .....	81
The Release of Formaldehyde upon Decomposition of Imidazolidinyl Urea K. KAJIMURA, T. DOI, T. TAGAMI and S. TAGUCHI .....	82
Simple and Rapid Determination of Cypermethrin and Fenvalerate Residues in Kampo Products by Gas Chromatography / Mass Spectrometry with Negative Chemical Ionization T. TAGAMI, K. KAJIMURA, K. YAMASAKI, Y. SAWABE, C. NOMURA, S. TAGUCHI and H. OBAMA .....	82
Simple and Rapid Determination of Organochlorine Pesticide Residues in Kampo Products by Gas Chromatography / Mass Spectrometry with Negative Chemical Ionization T. TAGAMI, K. KAJIMURA, K. YAMASAKI, Y. SAWABE, C. NOMURA, S. TAGUCHI and H. OBAMA .....	83
Simple and Rapid Analysis of Aristolochic Acid Contained in Crude Drugs and Kampo Formulations with Solid Phase Extraction and HPLC Photodiode-Array Detection K. YAMASAKI, T. TAGAMI, M. KAWAGUCHI, M. OKIHASHI, S. TAKATORI, Y. SAKAGAMI, S. SEKITA and M. SATAKE .....	83
Simple and Rapid Analysis of the Sennoside A and Sennoside B Contained in Crude Drugs and Crude Drug Products by Solid-Phase Extraction and High-Performance Liquid Chromatography K. YAMASAKI, M. KAWAGUCHI, T. TAGAMI, Y. SAWABE and S. TAKATORI .....	84
Survey of Formaldehyde (FA) Concentration in Cosmetics Containing FA-Donor Preservatives T. DOI, K. KAJIMURA and S. TAGUCHI .....	84
Evaluation of a Regional Domestic Wastewater Treatment System Installed with Household Johkasous - at Takayama in Toyono-cho, Osaka - (in Japanese) S. OKUMURA, Y. YAMAMOTO, H. NAKANO, T. INOUE and Y. KISO .....	85

Asbestos Fiber Concentration in the Area Surrounding a Former Asbestos Cement Plant and Excess Mesothelioma Deaths in Residents S. KUMAGAI and N. KURUMATANI .....	85
Ortho-Phthalaldehyde Exposure Level among Endoscope Disinfection Workers (in Japanese) K. MIYAJIMA, J. YOSHIDA and S. KUMAGAI .....	86
Simultaneous Determination of 18 Pyrethroids in Indoor Air by Gas Chromatography/Mass Spectrometry T. YOSHIDA .....	86
Approach to Estimation of Absorption of Aliphatic Hydrocarbons Diffusing from Interior Materials in an Automobile Cabin by Inhalation Toxicokinetic Analysis in Rats T. YOSHIDA .....	87
Determination of Organotin Compounds in Water Soluble Paints and Adhesives by GC-MS (in Japanese) T. KAWAKAMI, K. ISAMA, H. NAKASHIMA, T. OOSHIMA, T. TSUCHIYA and A. MATSUOKA .....	87
Determination of Organotin Compounds in Polylactide Plastics by Gas Chromatography - Mass Spectrometry (in Japanese) T. OOSHIMA, A. OZAKI, H. NAKASHIMA, K. ISAMA and T. TSUCHIYA .....	88
Development of a Continuous Generation System for Gaseous Nitrous Acid using Porous Polytetrafluoroethylene Tube (in Japanese) K. OKA, M. OHYAMA and N. TAKENAKA .....	88
Isolation and Genotyping of Potentially Pathogenic Acanthamoeba and Naegleria Species from Tap-water Sources in Osaka, Japan A. EDAGAWA, A. KIMURA, T. KAWABUCHI-KURATA, Y. KUSUHARA, P. KARANIS.....	89

大阪府立公衆衛生研究所 研究報告  
第48号

---

発行年月日  
編集兼  
発行者  
〒537-0025

平成22年10月  
大阪府立公衆衛生研究所  
所長 織田 肇  
大阪市東成区中道1丁目3番69号  
TEL 06-6972-1321(代)  
FAX 06-6972-2393